







Move Free Lift Smart

"The Kraxcle W24 delivers unmatched performance in a compact design. Move Free, Lift Smart is not just a slogan — it's a promise we deliver on every construction site."

PRECISION AND CONTROL

The steering of the Kraxcle W24 is designed for ultimate precision and control. With the ability to operate the axles independently, the crane can be moved smoothly and precisely, whether with two or four wheels.

OUTSTANDING LIFTING CAPACITY

The Kraxcle W24 stands out with its impressive lifting capacity of 2,000 kg, even with the boom in the raised position. It can still effortlessly lift 750 kg at its full boom length.

BATTERY PACK

A unique feature of our electric self-erecting cranes is the ability to operate without a direct power supply. This is made possible by the various battery packs that we offer. This makes our self-erecting cranes extremely suitable for construction projects that focus on emission-free construction and meet the strictest sustainability standards.









SELF-PROPELLED SELF-ERECTING CRANE


| Brand: | KRAXCLE W24 | Power supply: | 230/400V |
|--------------------|-------------|------------------------------|-----------------------|
| Maximum radius: | 24 meters | Drive: | Electric |
| Max. tip capacity: | 2,000 kg | Control axes: | 2 and 4 wheel |
| Lifting capacity: | 750 kg | Coating: | 2 K paint |
| Hook height: | 19.1 meters | Height of transport position | : 3.10 meters |
| Stamp size: | 4 meters | Power supply options: | Battery, generator or |
| Stamps: | Hydraulic | | mains power |





W24

SELF-PROPELLED SELF-ERECTING CRANE





MECHANISM

| BEWEGING MOVIMIENTO MOVEMENT BEWEGUNG MOUVEMENT | VOEDING ALIMENTACION OPERATING VOLTAGE BETRIEBSSPANNUNG TENSION DE SERVICE | | PRESTATIES FUNCIONAMIENTO PERFORMANCES LEISTUNGEN EXÉCUTIONS | 4 | | | | | |
|--|--|-------|--|------|-----------------|---------------------------------|-----------------|---------------------------------|-----------|
| | | | 1 ^a m/1'-kg | 2 | a m/1' - kg | 3 ^a m/1' - kg | | 4 ^a m/1' - kg | |
| HIJSEN ELEVACION - HOISTING HEBEN - LEVAGE INVERTER | 230 - 400 V 50 Hz | 230 V | 4 | 12 | | 20 | | | |
| | | 23(| 2000 | 2000 | | 750 | | | kW |
| | | 400 V | 4 | | 24 | 37 | | 46 | 9.2 |
| | | | 2000 | 4 | 2000 | 750 | | 600 | |
| | | | 1 a m/1' | | 2ª m/1' | | 3ª m/1' | | |
| TROLLEY CARRILLO – JIB TROLLEY LAUFKATZE – DISTRIBUTION INVERTER | 230 - 400 V 50 Hz | | 19 | | 30 | | 54 | | kW 2.2 |
| | | | 1 a g/1' | | 2 ° g/1' | | 3 ° g/1' | | |
| ROTATIE ROTACION - SLEWING DREHEN - ORIENTATION INVERTER | 230 - 400 50 Hz | V | 0> 0.5 | 15 | 0.15 → 0.60 | | 0.60 → 0.85 | | kW 2.2 |




Conforme alle direttive CEE sul livello acustico 2000/14/CE

LIFTING TABLE

V24

| | m | 2.1 | 5 | 10.5 | 11 | 12 | 13 | 15 | 17 | 19 | 21 | 22 | 23 | 24 | | |
|------|-------------|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|------|--|--|
| 1.5° | kg | | 2000 | | 1907 | 1720 | 1565 | 1321 | 1138 | 996 | 883 | 834 | 790 | 750 | | |
| | | | | | | | | | | | | | | | | |
| | m | 2.1 | 5 | 7 | 9 | 11 | 13 | 15 | 17 | 19 | 20 | 21 | 22 | 22.9 | | |
| 15° | kg | | 700 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | m | 2.1 | 5 | 7 | 9 | 11 | 13 | 15 | 16 | 17 | 18 | 19 | 20 | 20.8 | | |
| 30° | 30° kg | | | | | | | | 600 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | m | 2.1 | 5 | 7 | 9.4 | 11 | 13 | 15 | 16 | 17 | 18 | 19 | 20 | 20.8 | | |
| 30° | 30° kg 2000 | | | | | 1790 | 1462 | 1229 | 1055 | 919 | 863 | 811 | 765 | 750 | | |





The power and precision of the Kraxcle W24 Self-erecting crane

When you are looking for a self-erecting crane that combines power, versatility and precision, the Kraxcle W24 is the ideal choice. This crane offers everything you need to keep your construction project running smoothly.

IMPRESSIVE LIFTING CAPACITY AND REACH

The Kraxcle W24 has a maximum lifting capacity of 2,000 kg, which makes the crane extremely suitable for heavy tasks on the construction site. In addition, this crane is designed to deliver excellent performance even at great reaches. At a radius of 24 meters, the Kraxcle W24 can still lift 750 kg.

FLEXIBLE HOOK HEIGHT

The standard hook height of the Kraxcle W24 is 18.5 metres, ideal for many construction site applications. For added flexibility, the boom can be topped at an angle of 30 degrees, achieving a maximum hook height of 29.8 metres. This makes the crane suitable for both lower and higher construction projects.

STABLE AND COMPACT DESIGN

The crane is equipped with hydraulically extendable outriggers, which ensure optimum stability during use. Furthermore, the outrigger dimensions are compact, with a footprint of only 4.2 x 5 meters. This makes the crane easy to position on tight construction sites.

SUSTAINABLE ELECTRIC DRIVE

At Kraxcle we consciously choose 100% electric self-erecting cranes. The Kraxcle W24 can easily be connected to a standard 230V connection, which is both practical and environmentally friendly. The crane can operate at different

power levels - 3kW and 12kW. This multi-deployability makes the Kraxcle W24 suitable for a wide range of activities.

MAXIMUM PRECISION IN MOVEMENT

One of the most distinctive features of the Kraxcle W24 is the infinitely variable control of all movements. This means that you can operate the crane with extreme precision, which is essential for precise lifting operations. The crane can also be driven and rotated at different speeds, which further increases flexibility and user-friendliness.

CONCLUSION: THE PERFECT SELF-ERECTING CRANE

The Kraxcle W24 combines power, flexibility, durability and precision in one compact machine. With an impressive lifting capacity, a flexible reach and an environmentally friendly electric drive, this self-erecting crane is the perfect choice for any construction site. Thanks to its easy operation and versatile applications, the Kraxcle W24 is not only a practical, but also a future-proof investment. Contact us today and discover how the Kraxcle W24 can take your construction project to the next level!



















"With the ability to operate the axles independently, the crane can be moved smoothly and precisely, whether with two or four wheels driven."

Move Free, Lift Smart

EASE OF USE AND TRANSPORT

Operating the crane is very easy, because of the advanced remote control, which can control both turning and driving. In addition, our crane offers a unique transport height of only 3.10 meters. This compact design makes transport and storage easier than ever, without compromising on performance.

SAFETY

Safety is paramount at Kraxcle, which is why the W24 is equipped with hydraulic jacks, allowing the crane to be set up quickly and safely, ready to operate in just 7 minutes.

Our self-erecting cranes are developed with both ease of use and safety in mind. Every detail has been carefully considered to minimize risk. Whether it's solid construction, intuitive controls or smart security systems, our cranes are built to perform in the most demanding conditions without compromising on safety. Together we are building a safe and successful future.



KRAXCLE

Houtdraaier 14 7951 ZB Staphorst, NL sales@kraxcle.com

Tel.: +31(0)85 - 08 79 310

KRAXCLE.COM